

get's

SOMETAS

HERITAGE



27 SAFETY DEVICE

9

Basic configuration with certified

- ① Overspeed governor
- ② Safety gear
- ③ Buffer
- ④ Door lock
- ⑤ Traction machine
- ⑥ Up&down over speed protection system
- ⑦ Electrical safety protection system
- ⑧ Over and stall protection system
- ⑨ Overload protection system

9

Standard configuration

- ① Full steel core steel rope (made in Germany)
- ② SOS system
- ③ i-Nest system
- ④ ARD
- ⑤ Fault display Intelligent light
- ⑥ Belt broken detection system
- ⑦ Anti-fall machine protection system
- ⑧ Special sealing design
- ⑨ One-click stop/start system

9

Unique configuration (option)

- ① i-Nest remote call
- ② OTA remote upgrade system
- ③ Touch screen password COP
- ④ Multi-Function buttons
- ⑤ Anti-Epidemic LOP
- ⑥ Self-rescue system
- ⑦ Dual-Button rescue system
- ⑧ Safety notice
- ⑨ Self-rescue function



Speed governor

During lift running, if the speed is up to the limit value, the speed governor will act to make the safety clamp the guide rail and stop the car in the case of other safety protection devices have no effect,




Safety gear

When the speed limit is reached, or when the suspension is broken, the safety gear will clamp the guide rail and stop the car and keep on static state to ensure safety

Roller guide shoe

The elevator uses roller guide shoes, with four guide shoes per elevator. Each guide shoe has three rollers for three-dimensional guidance. The rollers have a rubber coating. The system does not require lubrication, unlike elevators with sliding guide shoes that do.




Host machine Anti-Fall protection

The host has a strong brake to prevent falling when the elevator stops. If the brake fails, the host's short-circuit function will activate, and the PM motor will create resistance to slow down the elevator



Full steel core steel rope

Use two 10mm steel core wire ropes, which can carry 20 tons. The car weight and load are about 0.9 tons, so the safety factor is over 20 times.



SOS system


Each COP is equipped with an SOS rescue button. When the elevator fails, you can press the SOS button to call for help. The system will dial the preset rescue personnel number in a cycle until someone answers, and will send a text SOS message to the preset contact person to ensure that the SOS message is sent out.

Self-rescue system

When the lift fails, the double-key rescue system restarts the lift to quickly return to normal operation

Special sealing design

Anti-collision and anti-leakage light door panel design



ARD

If the lift power off, The ARD device will provide the power to make lift levelling and release the user leaving away from lift safely.





Anti-pinch function

If fingers or objects get caught in the gap between the elevator door and door frame during opening, the sensitive sensor on the frame triggers instant reverse movement of the door to prevent pinching and injury. This function is especially critical for child safety.



Emergency self-rescue function

1. Activate one-touch call for rescue.
2. Use self-rescue button to re-level.


GLOBAL INNOVATION REDEFINING TRADITION

Integrated luxury car aesthetics into luxury elevator

After the launch of C-Class Villa Elevator, SOMETAS launches the upgraded luxury E-Class. Sleek curves, superior quality, groundbreaking design. Automotive aesthetics meet elevator cabins, elevating every ride with luxury and comfort.



OUTSIDE



Metallic finish decorative panel



Tempered laminated glass with black border



Sleek & dynamic curved cabin fascia





ENJOY YOUR MAYBACH LIFT

SOMETAS E-Class luxury cabin interior, integrated with automotive space and ambiance. Experience the speed and passion of top luxury cars, even in a compact space.

INSIDE

COP


Extra-large central control touch screen

Standard equipped with an extra-large touch screen in E-Class cabin, upgraded with luxury car central control screen design. Ultra-slim & stylish, easy operation



Human-interface

LOP COLLECTION



HB-GL-A33

MINI smart call ▶

(Standard: EF110 Automatic single sliding door & Automatic double sliding door)

◀ Recessed LOP

(Standard: EF110 Manual swing door)



HB-GL-P21

Smart LOP

(Only for EF120/130)



HB-GL-A32



HB-GL-B32



HB-GL-A31



HB-GL-B31



SAFETY & TECHNOLOGY

Each elevator is equipped with the i-nest system for customer monitoring.

- Real-time monitoring of elevator operation status
- Real-time access to elevator information
- Check the elevator fault records
- The elevator automatically sends a message when malfunctioning

i-Map monitors 24/7 to ensure your safety.

- Real-time monitoring of the national elevator distribution
- The Maintenance Center keeps real-time track of the operating status of all elevators
- All faults trigger timely alerts to the maintenance center
- Respond quickly to faults
- Resolve and eliminate faults in the fastest way



Center-opening auto door

DOOR OPENING MODE




Automatic swing door



Automatic double swing door



Automatic side-opening door



Swing door



FRAME GLASS

► G082




G088 ◀

SLIM BEZEL GLASS DOOR

G082 ◀



▶ G088



HIDDEN FRAME COLUMN DESIGN



VP003



VP004



VP006



VP007



VP010



VP011



VP012



VP013



VP014



VP015



VP016



VP017

“MAYBACH” SERIES

MBH01

Ceiling: Ceil-MBH01
Car Panel: Alcantara03+Alcantara04
Floor: Floor-V2 (Teak Wood)



Scan it for view



Incorporating luxury car sunroof design and universal air vents, fully handcrafted leather-wrapped enclosure panels, a sleek luxury car-style front fascia paired with customizable ambient lighting.

MBH02

Ceiling: Ceil-MBH02

Car Panel: Alcantara01+Alcantara02

Floor: Floor-V1 (Teak Wood)



Scan it for view




The Inspiration

Inspired by top luxury cars, the cabin front is equipped with creative dynamic warning lights, matched with delicate C-pillar lights, diamond clock, hidden air vents, 15.6-inch large touch screen and custom star ceiling, delivering a dynamic vertical travel experience.



Specific flooring for luxury car



Romantic starry-sky



Handcrafted full surrounding leather panel



“BENTLEY” SERIES

BTLO1

Ceiling: Ceil-BTL01
Car Panel: Bentley-style full-wrap leather enclosure
Floor: Floor-V3 (Teak Wood)



Scan it for view




The Inspiration

Sports cabin design, handcrafted leather panels, luxury car & cruise-grade flooring.
Starry ceiling as standard, optional shooting star ceiling upgrade.



Specific flooring for luxury car



Romantic starry-sky



Handcrafted full surrounding
leather panel



“ROLLS-ROYCE” SERIES

RR01

Ceiling: Ceil-RR01

Car Panel: Rolls-Royce-style full-wrap
leather enclosure

Floor: Floor-V7 (Teak Wood)



Scan it for view



SUPREME SERIES



Supreme01

Ceiling: Ceil-SP01
Car Panel: Alcantara03+
Alcantara04
Floor: Floor-V2
(Teak Wood)



Scan it for view




Supreme02

Ceiling: Ceil-SP02
Car Panel: Alcantara01+
Alcantara02
Floor: Floor-V1
(Teak Wood)



Scan it for view

LEATHER FOR LUXURY CARS



Alcantara01




Alcantara02



Alcantara03



Alcantara04



Customizable in various colors

SPECIAL FLOOR FROM LUXURY CAR



Floor-V1
(Teak Wood)



Floor-V2
(Teak Wood)




Floor-V3
(Teak Wood)




Floor-V7
(Teak Wood)



■ Center-opening auto door EF220



■ Automatic side-opening door EF230



Model		EF220						EF230					
Shaft type		Aluminum frame											
Operating speed(m/s)		0.4 & 0.63											
Opening type		Center-opening auto door						Automatic side-opening door					
NO.		1	2	3	4	5	6	7	8	9	10	11	12
Person		4-5					5-6	3-4		4-5			
Area(m²)		L					XL	M		L			
		0.9-1.2					1.2-1.6	0.7-0.9		0.9-1.2			
Load(KG)		320					400	250		320			
Car width(CW)		1000		1100		1200	1300	800	900	1000		1100	
Car depth(CD)		900	1000	900	1000	1000	1000	900	900	900	1000	900	1000
Car high(CH)		2300 (High:2200)											
Door opening width(OP)		650		700		750	800	650	700	750		800	
Door opening height(OPH)		2100											
Overhead(OH)		3000(Side Counterweight)/3100(Rear Counterweight)											
Counterweight side-mounted	Shaft width(HW)	1590		1690		1790	1890	1390	1490	1590		1690	
	Shaft depth(HD)	1190	1290	1190	1290	1290	1290	1250	1250	1250	1350	1250	1350
	Frame width(FW)	1570		1670		1770	1870	1370	1470	1570		1670	
	Frame depth(FD)	1180	1280	1180	1280	1280	1280	1240	1240	1240	1340	1240	1340
Counterweight rear-mounted	Shaft width(HW)	1550		1650		1750	1850	1380	1450	1530		1600	
	Shaft depth(HD)	1350	1450	1350	1450	1450	1450	1350	1350	1410	1510	1410	1510
	Frame width(FW)	1530		1630		1730	1830	1360	1430	1510		1580	
	Frame depth(FD)	1340	1440	1340	1440	1440	1440	1340	1340	1400	1500	1400	1500
Pit(S)		200											
Note: All unlabeled dimensions are in millimeters													

Thang máy gia đình Getis

“Không chỉ là thang máy - mà là một phần của không gian sống”


Tại Getis, chúng tôi không xem thang máy đơn thuần là phương tiện di chuyển, mà là một phần trong tổng thể không gian sống - nơi mỗi trải nghiệm cần được đảm bảo bằng sự an tâm.

Từ đó, Getis theo đuổi một triết lý xuyên suốt:
Đa dạng giải pháp - để mỗi công trình đều có lựa chọn phù hợp
An tâm trong suốt quá trình sử dụng

Và chúng tôi định vị mình là:

Người đồng hành tin cậy

Đồng hành cùng khách hàng trong toàn bộ vòng đời sản phẩm - từ tư vấn, triển khai đến vận hành, bảo trì.



1000+

Dự án đã hoàn thành
trên toàn quốc

100+

Dự án mới mỗi năm

90%

Tỷ lệ hài lòng của
khách hàng khi bàn giao

ISO 9001:2015

Đạt CN ISO số 25.0179-QMS/IOSIN, cấp ngày
03/01/2025



The Classia Khang Điền,
TP. Hồ Chí Minh



KDC Phú Mỹ Vạn Hưng,
TP. Hồ Chí Minh



Lakeview City,
TP. Hồ Chí Minh



The Classia Khang Điền,
TP. Hồ Chí Minh



Ecopark Văn Giang,
Hưng Yên



KĐT Dương Nội, Hà Đông,
Hà Nội

Sự an tâm được xây dựng từ 3 trụ cột cốt lõi:

Sản phẩm tin cậy

Nhập khẩu đồng bộ, vận hành ổn định, tiêu chuẩn quốc tế

Con người tin cậy

Đội ngũ hướng dẫn chi tiết, đồng hành sát sao, trách nhiệm đến cùng

Người đồng hành tin cậy


Luôn hiện diện để hỗ trợ khách hàng trong mọi giai đoạn sử dụng



Quận 10,
TP. Hồ Chí Minh



Q.7,
TP. Hồ Chí Minh



Hồng Hà, Hà Nội



Kiến Thụy, Hải Phòng



Villa Sala,
TP. Hồ Chí Minh



CÔNG TY TNHH THANG MÁY GETIS VIỆT NAM

Showroom Cổ Loa: Ngôi sao 03,
Vinhomes Global Gate, Cổ Loa, Đông Anh

Văn phòng Hà Nội: 12 TT4 Khu đô thị
VOV, Phường Đại Mỗ, Hà Nội

Hotline: 0972.597.579

Showroom Hồ Chí Minh: 85 Bùi Tá Hán,
P. Bình Trưng

Hotline: 0879.745.777

Website: www.getis.vn | **Tổng đài CSKH:** 0985.645.966

